



CYGON™ 2E DIMETHOATE SYSTEMIC INSECTICIDE

MATERIAL SAFETY DATA SHEET

Page 1 of 3

I Manufacturer's Name & Address

Southern Agricultural Insecticides, Inc.
P.O. Box 218, Palmetto, Fla. 34220

Phone: 1-941-722-3285
Chemtrec: 1-800-424-9300

Product Name: CYGON 2E DIMETHOATE SYSTEMIC INSECTICIDE EPA Reg. No.829-251
Chemical Name: O,O-dimethyl S-(N-methylcarbamoylmethyl)phosphorodithioate
Synonyms: Cygon, Dimethoate,
Chemical Family: Organophosphate insecticide
HAZARD CLASSIFICATION: (0-minimal, 1-slight, 2-moderate, 3-serious, 4-severe)
NFPA: HEALTH-2, FIRE-2, REACTIVITY-1

II HAZARDOUS INGREDIENTS

		(ACGIH)	TWA	STEL
(1) Dimethoate	24.4% CAS # 60-51-5		N/A	N/A
(2) Cyclohexanone	36.1% CAS # 108-94-1		25ppm (skin)	N/A
(3) Trimethylbenzene	17.2% CAS #25551-13-7		25ppm	N/A
(4) Ethyltoluenes	7.0% CAS #25550-14-5		25ppm	N/A
(5) Meta-Xylene	2.9% CAS #108-38-3		100ppm	150ppm
(6) Xylenes	1.1% CAS #1330-20-7		100ppm	150ppm

Hazardous ingredients in excess of 1% Carcinogens in excess of 0.1% as required in
CFR 29 1910-1200 Ingredients listed as Carcinogen IARC, NTP, OSHA NONE

III HEALTH HAZARD DATA (Acute and Chronic)

Data given for technical Dimethoate

Oral LD₅₀ (Rat) 387 mg/kg Dermal LD₅₀ (rat) >2000 mg/kg

Inhalation LC₅₀ (rat) 1.6 mg/1/4-h (estimated value)

Product Signal word: WARNING

Primary Routs of entry: Ingestion, skin absorption, eye contact.

Irritancy Of Dimethoate: Very slight transient dermal irritation. Slight eye irritant.

Skin Sensitization: Dimethoate is not considered to be a skin sensitizer.

Medical conditions aggravated by exposure: Preexisting eye, skin, respiratory disorders and prior experience with lowered cholinesterase level..

Signs and symptoms: Headaches, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Reproductive Effects: A reduction of successful matings are observed in rats at doses where cholinesterase effects were observed.

Tetratology: No embryotoxic or tetratogenic effects are observed in rats and rabbits, even at maternal toxic doses.

Mutagenicity: No mutagenic effects observed in invivo tests.

IV FIRST AID:

In all cases of suspected poisoning: Call a physician or poison control center immediately. Follow first aid instructions. Remove patient from exposure area. Keep patient quiet

IF SWALLOWED: Call a physician or poison control center immediately. Gastric lavage is usually indicated. Do not induce vomiting. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything by mouth to an unconscious person. Keep exposed person quiet

IF INHALED: Remove victim to fresh air. Assist respiration if indicated. If breathing has stopped, start artificial respiration immediately, and continue until physician takes charge

IF ON SKIN: Promptly wash contaminated skin with soap and water. If material gets on or inside protective clothing remove protective clothing and wash exposed skin with soap and water. Do not wear contaminated clothing.

IF IN EYES: Immediately flush eyes with plenty of water. Hold lids open while flushing for at least 15 minutes. Get medical attention;

NOTE TO PHYSICIAN: Dimethoate is a cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. **Antidote:** Administer atropine sulfate in large doses.



CYGON™ 2E DIMETHOATE SYSTEMIC INSECTICIDE

MATERIAL SAFETY DATA SHEET

Page 2 of 3

TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5-10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacological antidote and may be administered as an adjunct but not a substitute for atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of DIMETHOATE may occur and relapse may occur after initial improvement. **VERY CLOSE SUPERVISION OF PATIENT IS INDICATED FOR AT LEAST 48 hours.**

V PHYSICAL PROPERTIES

Boiling Point: > 200°F

Specific Gravity: 1.01

Percent Volatile: (by volume) > 50%

Vapor Density: (air=1) > 3

Evaporation Rate: not determined

Solubility In Water: emulsifies in water.

Appearance/Odor: Clear colorless to light-yellow liquid; slight mercaptan odor

VI FIRE AND EXPLOSION DATA

Flash Point: 100 °F (Min)

Flammable Limits: not available

Extinguishing Media: CO₂, dry chemical, foam. Water spray may be used to cool containers. A water stream may spread flames.

Special Fire Fighting Procedures: Flammable liquid. Fight fire upwind. Evacuate people downwind. Vapors readily form explosive mixtures with air. Heavier than air vapors can travel to distant ignition sources and flashback. Fire fighters should wear full face self contained breathing equipment and impervious clothing gloves, hoods, suits, and rubber boots. Decontaminate clothing and equipment before reuse. Control water runoff.

Unusual Fire & Explosion Hazards: Keep away from heat, sources of ignition, and oxidizers. Hot containers may explode, use water to keep containers cool.

VII Reactivity:

Stability: X Stable under normal storage conditions.

Conditions to avoid: Heat, flame, sparks, build up of static electricity and storage temperatures above 80°F.

Materials to Avoid: Oxidizers, strong alkalies, amines,

Hazardous Decomposition Products: Dimethyl sulfide, methyl mercaptan, carbon monoxide, and unidentified carbon compounds.

Hazardous Polymerization: Not expected. However technical dimethoate undergoes exothermic and autocatalytic reactions which involve rearrangements and polymerization.

VIII SPILL OR LEAK PROTECTION

Steps To Be Taken If Spilled: Personnel involved with clean up should be equipped with proper protective equipment. See Section IX. Dike and soak up spilled material with absorbent material such as lime, sawdust, or vermiculite. Sweep up recovered material and place in appropriate chemical waste container. Wash spill area with liquid chlorine bleach or caustic soda solution. Flush spill area with water to remove residue.

IX Special Protection

For Agricultural Use Requirements refer to label and Worker Protection Standard (WPS) 40 CFR part 170

Respiratory: For exposure in enclosed area use a respirator with either an organic vapor removing cartridge with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH TC-23C) or a canister approved for pesticides (MSHA/NIOSH TC-14G). For outdoor use a dust/mist filtering respirator (MSHA/NIOSH TC21

Ventilation: Local Exhaust is recommended for indoor use. **Gloves:** Barrier laminate, or viton.

Eye Protection: Yes safety glasses with side shields or goggles.

Other Protective Equipment: Coveralls over short sleeved shirt and pants. Chemical resistant footwear plus socks. Chemical resistant headgear for overhead exposure. Chemical resistant apron for cleaning equipment, mixing and loading. Remove clothing immediately if pesticide gets inside and after using, wash thoroughly and change to clean clothing. Launder contaminated clothing separately from household wash.

X SPECIAL PRECAUTIONS

Handling Precautions: Keep out of reach of children. Do not allow spray drift to unprotected persons. Do not allow contact with sprayed surfaces until sprayed surfaces have dried.



CYGON™ 2E DIMETHOATE SYSTEMIC INSECTICIDE

MATERIAL SAFETY DATA SHEET

Page 3 of 3

Storing Precautions: Handle cases so as to avoid breakage. Do not store open, leaking, or broken containers. Store as a combustible pesticide in cool, dry, well ventilated area away from ignition sources. Store below 80°F Do not store with feed or foodstuffs. If product has frozen, allow product to return to room temperature and shake if necessary. Do not apply direct heat to containers.

XI ECOLOGICAL INFORMATION

Dimethoate is biodegradable, undergoing rapid degradation in the environment. It is toxic to wildlife and aquatic invertebrates. Acute toxicities for Dimethoate: Fish; 96-h LC₅₀ Rainbow trout Salmo gairdneri 30.2 ppm

Invertebrates, 48-h LC₅₀ Daphids Daphnia magna 4.7 ppm

Birds, LD₅₀, acute oral, Mallard Duck (M) 41.7 mg/kg

Bees, 24-h LD₅₀ topical, 0.12 ug/bee

24-h LD₅₀ oral 0.15 ug/bee

XII WASTE DISPOSAL

Waste Disposal: Dispose of in an approved waste facility or in accord with local, State, and Federal regulations.

Container Disposal: 8 oz., 16 oz., 32 oz. containers from household use. Rinse thoroughly and discard in trash

Pesticide disposal: 8 oz., 16 oz., 32 oz. containers from household use. Securely wrap original container in several layers of newspaper and discard in trash.

Container disposal, except household, Triple rinse, or equivalent, then offer for recycling or puncture and dispose of in sanitary landfill, or incinerate, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

XIII REGULATORY INFORMATION (Not meant to be all-inclusive--Selected regulations referenced)

TRANSPORTATION: Proper shipping name: Organophosphorus Pesticide, Liquid, Toxic, Flammable, nos (Dimethoate/Petroleum naphtha) 6.1 (3) UN3017 PG III Marine Pollutant ERG guide #28 Cases of 2x2 1/2 gal and larger sizes require "RQ"

Note :8 oz., pint, and quarts are reclassified as Consumer Commodity ORM-D and may be shipped by domestic motor freight without shipping paper notation or placarding.

REGULATORY: OSHA: This product is a "Hazardous Chemical" as defined by the OSHA COMMUNICATION STANDARD< 29 CFR-1910.1200.

SARA 313 INFORMATION: This product contains the following substances subject to reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act 40 CFR Part 372 Xylenes (mixed isomers) CAS # 1330-20-7, m, xylene CAS # 108-38-3, ethylbenzene CAS# 100-41-4

SARA HAZARD CATEGORY SARA TITLE III sections 311 & 312 An Immediate Health Hazard, A Delayed Health Hazard, A Fire Hazard

This information relates solely to the designated product and is not inclusive for combinations with other materials. This information is given without warranty or representation. Information is based on data we believe to be correct as of the date hereof. This information is furnished solely for your consideration, investigation, and verification. Before using any product READ THE LABEL.

Last revised: 5/93 This revision 3/96 as of 5/95